

**LISTING OF CLAIMS:**

1. (Currently amended): A transreflective liquid crystal display comprising:
  - a plurality of pixels each comprising sub-pixels corresponding to different colors;
  - a color filter that is patterned in correspondence with said sub-pixels, and
  - a transreflector having sub-pixel portions aligned with corresponding sub-pixels of the display and comprising light absorbing portions, wherein sub-pixel portions corresponding to different colors have mutually different light absorption ratios, and wherein the sub-pixel portions in the transreflector corresponding to different colors have mutually different light absorption ratios independent of the color filter.
2. (Previously presented): A transreflective liquid crystal display according to claim 1, wherein the transreflector has light absorbing portions arranged at sub-pixels portions corresponding to more than one color.
3. (Previously presented): A transreflective liquid crystal display comprising:
  - a plurality of pixels each comprising sub-pixels corresponding to different colors;
  - a color filter that is patterned in correspondence with said sub-pixels;
  - a transreflector having sub-pixel portions aligned with corresponding sub-pixels of the display and comprising light absorbing portions, wherein sub-pixel portions corresponding to different colors have mutually different light absorption ratios; and
  - a black matrix that separates the sub-pixels from each other, wherein said black matrix is formed on said transreflector and includes the same material as said light absorbing portions.
4. (Previously presented): A transreflective liquid crystal display according to claim 1, wherein each sub-pixel portion has a transmissive portion and a reflective portion.

5. (Previously presented): A transflective liquid crystal display according to claim 4, wherein an area ratio between transmissive and reflective portions of the transflector is different between sub-pixels of different colors.

6. (Previously presented): A transflective liquid crystal display according to claim 4, wherein first portions of the color filter associated with transmissive portions of the transflector have a stronger color filtering effect than second portions of the color filter associated with reflective portions of the transflector.

7. (Previously presented): A transflective liquid crystal display according to claim 6, wherein the color filter and the transflector are arranged directly adjacent each other, and the first portions of the color filter are thicker than the second portions of the color filter.

8. (Previously presented): A transflective liquid crystal display comprising:  
a plurality of pixels each comprising sub-pixels corresponding to different colors;  
a color filter that is patterned in correspondence with said sub-pixels; and  
a transflector having sub-pixel portions aligned with corresponding sub-pixels of the display and comprising light absorbing portions, wherein sub-pixel portions corresponding to different colors have mutually different light absorption ratios,  
wherein the thickness of the color filter in portions that coincide with reflective portions differs between sub-pixels of different colors.

9. (Previously presented): A transflective liquid crystal display according to claim 1, wherein the color filter is arranged such that it coincides with parts of the reflective portions of the transflector.

10. (Previously presented): A transflective liquid crystal display according to claim 3, wherein the transflector has light absorbing portions arranged at sub-pixels portions corresponding to more than one color.

11. (Canceled)

12. (New): A transflective liquid crystal display according to claim 3, wherein the sub-pixel portions in the transflector corresponding to different colors have mutually different light absorption ratios independent of the color filter.

13. (New): A transflective liquid crystal display according to claim 3, wherein each sub-pixel portion has a transmissive portion and a reflective portion.

14. (New): A transflective liquid crystal display according to claim 13, wherein an area ratio between transmissive and reflective portions of the transflector is different between sub-pixels of different colors.

15. (New): A transflective liquid crystal display according to claim 13, wherein first portions of the color filter associated with transmissive portions of the transflector have a stronger color filtering effect than second portions of the color filter associated with reflective portions of the transflector.

16. (New): A transflective liquid crystal display according to claim 15, wherein the color filter and the transflector are arranged directly adjacent each other, and the first portions of the color filter are thicker than the second portions of the color filter.

17. (New): A transflective liquid crystal display according to claim 3, wherein the color filter is arranged such that it coincides with parts of the reflective portions of the transflector.

18. (New): A transflective liquid crystal display according to claim 8, wherein the sub-pixel portions in the transflector corresponding to different colors have mutually different light absorption ratios independent of the color filter.

19. (New): A transflective liquid crystal display according to claim 8, wherein each sub-pixel portion has a transmissive portion and a reflective portion, and wherein an area ratio between transmissive and reflective portions of the transflector is different between sub-pixels of different colors.

20. (New): A transflective liquid crystal display according to claim 8, wherein each sub-pixel portion has a transmissive portion and a reflective portion, and wherein first portions of the color filter associated with transmissive portions of the transflector have a stronger color filtering effect than second portions of the color filter associated with reflective portions of the transflector.

21. (New): A transflective liquid crystal display according to claim 8, further comprising a black matrix that separates the sub-pixels from each other, wherein said black matrix is formed on said transflector and includes the same material as said light absorbing portions.